



Silla apilable con asiento y respaldo de tablero de roble y estructura de madera maciza de haya. Version ancha. Opción de asiento y respaldo plafonado.

0,409 m³ 9,5 kg
14,44 Ft 20,94 Lbs

	Altura de respaldo	Altura de asiento	Ancho	Anchura
Medidas (mm)	790	455	560	570

- Estructura** Patas y estructura en madera maciza de fresno.
- Asiento** Tablero de roble. Opción de asiento y respaldo tapizado o asiento y respaldo plafonado recubierto de espuma flexible ignífuga de poliuretano de densidad entre 25kg/m³ y 40kg/m³.
- Accesorios** Tacos deslizantes de polipropileno, fieltro o acero.
- Otros materiales** Tornillos de zinc-níquel electrolítico. Grapas galvanizadas. Cola de acetato de polivinilo.

Fabrics / Telas

- 1** Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban
- 2** Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco
- 3** Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

- 4** Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic
- 5** Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Re-wool

- 6** Go check
Swing
Chartres
Loom Five
Zori
Patio
- 7** Canvas 2
Rime
Select
Clara 2
- 8** Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
- 9** Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1** Valencia
2 Silvertex
3 Maglia
4 Dolce
8 Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9** Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
- 10** Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired

- 11** Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

Tapicería

Leather / Piel

- L1** High grade cow leather
Piel de vaca de 1ª categoría
- L3** Polished full grain leather
Piena flor pulida
- L6** Aniline leather batique-effect.
Scandinavian cattle.
Piel anilina efecto batique.
Ganado escandinavo.

Piel

CERTIFICADOS DE CALIDAD UNE-EN 16139:2013
ISO 9001

CERTIFICADOS DE IGNIFUGABILIDAD UNE-EN 1021-1:2006
B.S. 5852 Part 2 Crib V
UNI 9175 M-1
California Tech.Bulletin 117

CERTIFICADOS DE SOSTENIBILIDAD FSC®
ISO 14001
level® 2 cert. to ANSI/BIFMA



¡ESCANÉAME!

LA TRANQUILIDAD DE CONTAR CON NUESTRAS SOLUCIONES

LAMBDA3
INSPIRANDO ESPACIOS DE TRABAJO

LAMBDA3, S.A.

Laguna de Cameros 8, 28021 Madrid

914 479 577

lambdatres@lambdatres.com

www.lambdatres.com